

# Ethanol 99.9% ENA Extra natural ethanol MSDS

**SOLVENT 1520** 

Phaga / IMS / Q / F /01 Rev: - 01 Issue: - 01 Issue Date: - 20 / 08/2022

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier

Trade name Ethanol 99.9 %

Synonyms Ethyl alcohol

CAS-No. 64-17-5

EC-No. 200-578-6

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant Identified General Solvent (Denature)

uses

#### 1.3 Manufacturer or supplier's details

Company Phaga for industries

Address 59 Alexanderia – Cairo Road Egypt

Telephone

E-mail address sales@phaga.com

## 1.4 Emergency telephone

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids Category 2, H225

Serious Eye Damage/Irritation - Category 2A H319

Health hazards Not Classified
Environmental hazards Not Classified

#### 2.2 Label elements

Signal word Danger

Pictogram

GHS02, GHS07



#### Hazard statement(s)

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation

# **Precautionary statements**

P101 If Medical advice is needed, have product container or label and hand

P102 Keep out from children

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use non-sparking tools.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P303 + P361 + P353 if on skin (or hair): remove/Take off immediately all contaminated clothing.

skin with water / shower

P403 + P235 Store in a well-ventilated place. Keep cool

#### 2.3 Other hazards

None

## **SECTION 3: composition / information on ingredients**

Substance Ethanol

Molecular Formula C<sub>2</sub>H<sub>6</sub>O

Molar mass 46,07

CAS-No. 64-17-5

EC-No. 200-578-6

#### **SECTION 4: first – Aid Measures**



**Eyes:** Rinse opened eyes for several minutes under running water. Consult a

physician.

**Skin:** Rinse skin with water/shower. Get medical aid. Wash clothing before reuse.

Flush skin with plenty of soap and water.

**Ingestion:** Rinse mouth. Call a doctor if you feel unwell

**Inhalation:** Provide fresh air. In all Cases of doubt, or when symptoms persist, seek

medical advice.

Most important symptoms and effects, both acute and delayed

Irritation, Nausea, Vomiting, Abdominal pain, Breathing difficulties, Vertigo,

Drowsiness, Narcosis, Loss of righting reflex, and ataxia

#### Indication of any immediate medical attention and special treatment needed

None

#### **SECTION 5: Firefighting Measures**



**Extinguishing Media**: BC -Powder, carbon dioxide (CO<sub>2</sub>), Dry Powder, water spray or alcohol

resistant foam.

Special hazards arising from the substance or mixture Combustible.

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapors possible in the event of fire. Forms explosive mixtures with air

at ambient temperatures.

Unsuitable extinguishing Water spray jet

Media

#### **SECTION 6: - Accidental Release Measures**

## 6.1 Personal precautions, protective equipment and emergency procedures



<u>Personal precautions</u> Avoid contact with skin, eyes and clothes. Do not breathe vapor/spray.

Avoidance of ignition sources.

**Environmental** Do not allow to enter into surface water of drains. Do not allow to enter into

soil/subsoil.

# 6.2 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Collect, bind, and pump off spills

#### Advice on how to clean up a spill

Contain and collect spillage with non-combustible absorbent material, (eg sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/ national regulations

#### 6.3 Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## **SECTION 7: - Handling and Storage**

#### 7.1 Precautions for safe handling

Keep away from sources of ignition

No smoking.

Take precautionary measures against static discharges.

#### **Hygiene measures**

Change contaminated clothing. Wash hands after working with substance. Use only explosion-proof equipment

# 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a cool, well-ventilated place, Keep away from heat and sources of ignition

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Storage incompatibility

Avoid strong bases.

• Avoid oxidizing agents, acids, acid chlorides, acid anhydrides, chloroformates.

# **SECTION 8: - Exposure Controls and Personal Protection**

# 8.1 Control parameters

Derived No Effect Level (DNEL)

Application Area	Health Effects	Exposure	Value
Worker	Acute Local effects	Inhalation	1900 mg/m³
Worker	Long-term Systemic effects	Inhalation	950 mg/m <sup>3</sup>
Worker	Long-term Systemic effects	Skin contact	343 mg/kg Body weight
Consumer	Acute Local effects	Inhalation	950 mg/m³
Consumer	Long-term Systemic effects	Ingestion	87 mg/kg Body weight
Consumer	Long-term Systemic effects	Inhalation	114 mg/m³
Consumer	Long-term Systemic effects	Skin contact	206 mg/kg Body weight

Predicted No Effect Concentration (PNEC)

Compartment Value

Aquatic intermittent release 2.75 mg/l

Fresh water 0.96 mg/l

Fresh water sediment 3.6 mg/kg

Marine water 0.79 mg/l

Oral 720 mg/kg

Sewage treatment plant 580 mg/l

Soil 0.63 mg/kg

#### 8.2 Exposure controls

. Appropriate engineering controls

General ventilation.

.Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

.Hand protection

Protective gloves

IIR: isobutene-isoprene (butyl) rubber ≥ 0,5 mm >480 minutes (permeation: level 6)

FKM: fluoro-elastomer 0,4 mm >480 minutes (permeation: level 6)

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

.Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Type: A-P2 (combined filters against particles and organic gases and vapours, colour code:

Brown/White).

.Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

# **SECTION 9: - Physical and chemical Properties**

#### 1. Information on basic physical and chemical properties

Physical state liquid Alcohol-like Odor 7 рН

Melting point/range

78.3-100 °C Boiling point/range

12 °C Flash point

**Evaporation rate** Not Determined

Flammability (solid, gas) Not Relevant(fluid)

- 115 °C

**Explosion limits: lower** 3.5 Vol%

15 Vol% Upper

-60 hPa 20°C Vapor Pressure

**Relative Vapor Density** Not Determined

0.805 -0.810 g/ml at 20°C Density

Water solubility Soluble at 20°C

Partition coefficient (n-octanol/water) log Pow: -0.32

Auto-Ignition temperature Not Determined

Decomposition Temperature 425 °C

Viscosity Not Determined

Explosive properties Not Explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

#### **SECTION 10: - Stability and Reactivity**

**10.1 Reactivity** It's a reactive substance. Risk of ignition. Vapors may form explosive mixtures with

air.

**If heated** Risk of ignition.

#### **10.2 Chemical stability**

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkali metals, Alkaline earth metal, Acetic anhydride, Peroxides, Phosphorus oxides (e.g. P2O5), Nitric acid, Nitrate, Perchlorates, => Explosive properties

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## 10.5 Incompatible materials

There is no additional information

## **SECTION 11: - Toxicological information**

#### 11.1 Information of toxicological effects.

#### **Constituents**

#### **Ethanol; Ethyl alcohol:**

Acute oral toxicity:

LD50: > 2.000 mg/kg, rat, OECD test guideline 401, GLP: no, (Literature value)

Acute inhalation toxicity

LC50: > 20mg/l, 4 h, mouse, (literature value)

Acute dermal toxicity

LD50: > 2.000 mg/kg, rabbit, OECD test guideline 402, GLP: no, (literature value)

Skin corrosion/irritation

Rabbit, Result: non irritating, OECD test guideline 404, GLP: yes, (literature value)

Serious eye damage/ eye irritation

Rabbit, Result: slightly irritating, OECD test guideline 405, GLP: no, (literature value)

Sensitization of the respiratory system and skin

Maximization Test, guinea pig, Result: non-sensitizing, OECD test guideline 406, GLP, Yes, (literature value).

## 11.2 Germ cell mutagenicity

Genotoxicity in vitro

Ames test, Salmonella typhimurium, with and without, Result, not mutagenic, OECD Test

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Guideline 471, GLP: No, (literatur value)

#### 11.3 Other information

No further relevant information available.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Constituents

#### Ethanol; ethyl alcohol:

Toxicity for fish:

LC50: > 100 mg/l, 48h, Leuciscus Idus, static test, OECD test guideline 203, GLP: no,

(literature value)
Toxicity to daphnia and other aquatic invertebrates:
EC50: > 100 mg/l, 24h, Daphnia magna, static test, OECD test guideline 202, GLP: yes,
(literature value)
MSDS_Ethanol 96%_Denteck Version 1.1
Toxicity for algae:
EC50: > 100 mg/l, Chlorella pyrenoidosa static test, OECD test guideline 201, GLP: no,
(literature value)
12.2 Persistence and degradability
Constituents
Ethanol; ethyl alcohol:
Biodegradation:
aërobic, >70% Result: readily biodegradable, exposure time: 5d, OECD test guideline 301 D,
GLP: no, (literature value).
12.3 Bioaccumulation Product:
Bioaccumulation: No further relevant information available.
12.4 Mobility in soil.
Constituents:
Ethanol; ethyl alcohol
Mobility No further relevant information available.
12.5 Results of PBT- en zPzb-assessment
Constituents:
Ethanol; ethyl alcohol:
Rating:
This substance is not considered to be persistent, bio accumulative, and toxic (PBT).
This substance is not considered to be very persistent end very bio accumulative (vPvB)
12.6 Other hazardous effects:
Constituents:
Ethanol; ethyl alcohol:
Additional ecological information:
No further relevant information available.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**This material and its container must be disposed of as

hazardous waste. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Sewage disposal-relevant information Do not empty into drains.

Waste treatment of containers/packaging 
It is a dangerous waste; only packaging which are approved

(e.g. acc. to ADR) may be used.

**13.2 Relevant provisions relating to waste** the allocation of waste identity numbers/waste

descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue

ordinance (Germany).

**13.3 Remarks** Waste shall be separated into the categories that can be

handled separately by the local or national waste management facilities. Please consider the relevant

national or regional provisions.

## **SECTION 14: Transport Condition**

#### 14.1 VN number

ADR 1170

RID 1170

IMDG 1170

# 14.2 UN Proper shipping name

ADR Ethanol, Ethylalcohol, Ethylalcohol

RID Ethanol, Ethylalcohol

IMDG Ethanol, Ethyl Alcohol

IATA Ethanol

#### 14.3 Transport Hazard class

ADR 3

RID 3

IMDG 3

IATA 3

#### 14.4 Packing group

	Packing Group	II	
	Classification code	F1	
	Hazard identification number	33	
	Label	3	
	Tunnel restriction code	(D/E)	
RID			
	Packing Group	Ш	
	Classification code	F1	
	Hazard identification number	33	
	Label	3	
IMDG			
	Packing Group	П	
	Label	3	
	EMS number	F-E, S-D	
IATA			
	Packing instructions	307	
	(cargo plane)		
	Packing group	II	
	Label	3	
14.5 environmental Hazards			
	ADR		
	Dangerous for the environment	no	
	RID		
	Dangerous for the environment	no	
	IMDG		
	Marine Pollutant	no	
	IATA		
	Dangerous for the environment	no	

# 14.6 Special precautions for user

No further relevant information available.

# 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and IBC code VN

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Directive on the restriction of the use of certain hazardous substances in electrical and

electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer

Register (PRTR) not listed

Water Framework Directive (WFD)

## **SECTION 16: Other information**

Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship